


# Account auf GitHub anlegen

1. Man geht auf github.com und klickt auf „Sign up“



2. Notwendige Daten eintragen

## Sign up to GitHub

Email\*

 ✓

Password\*

 ✓

Password should be at least 15 characters OR at least 8 characters including a number and a lowercase letter.

Username\*

 ✓

Username may only contain alphanumeric characters or single hyphens, and cannot begin or end with a hyphen.

By creating an account, you agree to the [Terms of Service](#). For more information about GitHub's privacy practices, see the [GitHub Privacy Statement](#). We'll occasionally send you account-related emails.



## Sign in to GitHub

Username or email address

Password [Forgot password?](#)

**Sign in**

[Sign in with a passkey](#)

[New to GitHub? Create an account](#)

3. Login unter <https://github.com/login>

<> Start writing code

**Start a new repository for phsg-mf**

A repository contains all of your project's files, revision history, and collaborator discussion.

**Repository name \***

**Public**  
Anyone on the internet can see this repository

**Private**  
You choose who can see and commit to this repository

**Create a new repository**

4. Erstellung eines neuen Repository

# Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)

Required fields are marked with an asterisk (\*).



Owner \*      Repository name \*

 phsg-mf /

✔ Your new repository will be created as Bescheide-STU.  
The repository name can only contain ASCII letters, digits, and the characters ., -, and \_.

Great repository names are short and memorable. Need inspiration? How about [super-duper-octo-sniffle](#) ?

Description (optional)

-  Public  
Anyone on the internet can see this repository. You choose who can commit.
-  Private  
You choose who can see and commit to this repository.

Initialize this repository with:


- Add a README file  
This is where you can write a long description for your project. [Learn more about READMEs.](#)

Add .gitignore

Choose which files not to track from a list of templates. [Learn more about ignoring files.](#)

Choose a license


A license tells others what they can and can't do with your code. [Learn more about licenses.](#)

This will set  main as the default branch. Change the default name in your [settings](#).

 You are creating a private repository in your personal account.


Create repository

5.



6.

7. Neue Datei anlegen oder hochladen



Bescheide-STU /

Drag additional files here to add them to your repository  
Or choose your files

06-01.php

**Commit changes**

Initial Upload

Initialer Upload der Testdatei

Commit directly to the `main` branch.

Create a new branch for this commit and start a pull request. [Learn more about pull requests.](#)

Commit changes Cancel

8.

### 9. Neue Datei online

Bescheide-STU (Private)

main 1 Branch 0 Tags

phsg-mf Initial Upload d40c7cd - now 2 Commits

06-01.php	Initial Upload	now
README.md	Initial commit	2 minutes ago

README

## Bescheide-STU

Bescheide von STU

About

- Readme
- Activity
- 0 stars
- 1 watching
- 0 forks

Releases

No releases published  
[Create a new release](#)

Packages

No packages published  
[Publish your first package](#)

### 10. Textbasierende Datei bearbeiten

phsg-mf / Bescheide-STU

Code Issues Pull requests Actions Projects Security Insights Settings

Files

main

06-01.php



README.md

Bescheide-STU / 06-01.php

phsg-mf Initial Upload d40c7cd - 1 minute ago History

Code Blame 7 lines (7 loc) · 210 Bytes Code 55% faster with GitHub Copilot

```
1 <?php if ( get_post_meta( get_the_ID(), 'ribbon', true ) != '' ) { ?>
2 <div class="ribbon ribbon-top-right">
3 <span>
4 <?php echo get_post_meta( get_the_ID(), 'ribbon', true ); ?>
5 </span>
6 </div>
7 <?php } ?>
```



The screenshot shows a GitHub repository interface. At the top, the repository name 'Bescheide-STU' is visible. Below the navigation bar, the file '06-01.php' is selected in the file browser on the left. The main content area displays the commit history for this file, with the most recent commit by 'phsg-mf' selected. The commit message is 'Update 06-01.php' and it was made '2 minutes ago'. The code editor shows the following PHP code:

```
1 <?php if ( get_post_meta( get_the_ID(), 'ribbon', true ) != '' ) { ?>
2     <div class="ribbon ribbon-top-right">
3         <span>
4             <?php echo get_post_meta( get_the_ID(), 'ribbon', true ); ?>
5     <!-- Das ist ein kleiner Text zum &Auml;nderungen anzeigen -->
6         </span>
7     </div>
8 <?php } ?>
```

13.

From:  
<https://wiki.modellbahn-anlage.de/> - **Wiki der Modellbahn-Anlage.de**

Permanent link:  
<https://wiki.modellbahn-anlage.de/git/account-auf-github-anlegen?rev=1740992678>

Last update: **03.03.2025 10:04**

